

## **Pharma**BOX

**High-performance box ensures** temperature-controlled shipping



**CUSTOMIZABLE** AND SAFE!

cies with healthcare and pharmaceutical products.



www.bito.com

## **Pharma**BOX

### Safe and temperature-controlled last mile delivery

We have developed a passive cold chain packaging solution based on our successful MB distribution container range.

This solution enables safe shipping of temperature-sensitive goods (including vaccines and medicines) over long periods of time of up to 80 hours during which a specified temperature is held.





### **PCM** cool pack

The clever interior design prevents that shipping goods are in direct contact with the cool packs. This preserves the quality of the goods and prevents freeze damage. The insulating box insert keeps in-box temperatures within the specified range. The box insert can be cleaned after use and reused multiple times.

Bin size	Volume	Number of PCMs	Temperature range	Duration	
400x300mm	4L	4 (1x PCM set)	2-8°C	43h (ISTA 7E)	
600x400mm	15L	8 (2x PCM set)	2-8°C	37h (ISTA 7E)	
600x400mm	15L	12 (3x PCM set)	2-8°C	48h (ISTA 7E)	
600x400mm	15L	16 (4x PCM set)	2-8°C	80h (ISTA 7E)	

Prices and other temperature ranges on request.













# Choose the perfect solution for your application!

The overview below shows which features can be combined to suit your requirements. The modular system consists of the following components:

Options		Bin Cool pack	Bin Cool pack		Bin Cool pack	Bin	Bin	Complete Set
		coor pack	Tracking technology	Tracking technology	Tracking technology no lock	Tracking technology no lock	Tracking technology with lock	361
					110 IOCK	110 IOCK	With fock	
Bin		X	x		X	x	x	X
Cool pack		x	X		X			x
SmartHub	Marie De Mar		(X)	x			x	×
			<b>———</b>					
SmartBeacon			X	x	x	x	x	X
Cloud/App	9)))		X	X	X	X	X	X
SmartHub	Υ		(X)	X			X	X







#### **Smart lock**

Robust and customizable RFID / NFC access control & geo-fencing capability Audible & visual alarm system



#### **Smart connection**

Tracking in 170 countries via GSM Connects up to 50 BLE beacons RFID reader for scanning goods



#### **Technical specification**

Battery life up to 90 days Smart charging in power tower Multifunctional display



#### **Smart Beacon**

Beacon (status signal): Temperature, humidity, shock, geoposition



#### **GDP & CFR Part 11**

Compliance with FDA 21 CFR Part 11 & GDP



#### **Sustainability**

Multi-trip containers make a positive contribution to sustainability

#### **Benefits of the BITO MB Pharmabox**

The BITO Pharmabox MB is a **new passive cold chain shipping solution** that is **cost efficient and climate friendly** at the same time.

It keeps shipping goods at a **specified temperature over long periods of time**, no matter whether outside temperatures are hot or cold.



#### **BITO LAGERTEKNIK A/S**

Agerhatten 16C, Indg. 4 DK-5220 Odense SØ Tel.: +45 70 21 51 51 Fax: +45 65 90 52 41 info@bito.dk www.bito.com

#### **BITO LAGERSYSTEM**

Florettgatan 29c SE-254 67 Helsingborg Tel.: +46 (0) 42 151 910

info@bito.se www.bito.com

#### **BITO VARASTOTEKNIIKKA**

Äyritie 12 B FI-01510 Vantaa Tel.: +358 10 324 6510

info@bito.fi www.bito.com

#### **REOLTEKNIKK AS**

Hellenvegen 22 NO-2022 Gjerdrum Tel.: +47 6393 5200

post@reolteknikk.no www.reolteknikk.no