
BITO TRAYS
with hybrid bottom




A **BIT O**F
PRODUCTS.


BITO
LAGERTECHNIK

utomate your logistics with our tray storage system


Excellent running properties | Hybrid bottom | Suitable for Conveyor systems



No holes
No centering ribs
T654506



With liftholes
T654506LH



With centering ribs
T654506CR

Trays enable flexible and space-saving storage of a wide variety of goods. They are suitable for storing and retrieving small parts, cardboard boxes, and items of various dimensions. In automated warehouse systems, trays can be transported, stored, and delivered to the retrieval station as needed. This allows for optimal use of storage space, reduces walking distances, and streamlines workflows.

Optimize your material flow

Your benefits at a glance

- **Excellent handling characteristics** on Conveyor systems and in automation
- **Optimized for Euro-sized containers** and cardboard boxes
- **Fewer disruptions in the material flow** thanks to optional centering ribs
- **High load capacity** up to 50 kg
- **Flexible labeling** with barcode or RFID area

Now also available in a new size

650 x 450 x 60 mm

- Available in three variations
- Internal dimensions: 629 x 429 mm
- Dimensions between centring ribs: 600 x 400 mm
- Colour: grey
- Load capacity up to 50 kg
- Internal dimensions optimised for loading Euro-size containers and cardboard boxes
- Hybrid bottom (smooth running surface on the outer radius and smooth surface in the centre)

The new size in three variations:

Type	Item Number	External Dimensions	Model designation
without centering ribs, without holes	51504	650 x 450 x 60	T654506
with liftholes	51505	650 x 450 x 60	T654506-LH
with centering ribs	51506	650 x 450 x 60	T654506-CR

Optional Features


Centering ribs

The integrated centering ribs reliably hold cartons in position and within the defined outer contour.

- Carton packages are guided centrally, preventing collisions
- Bulges of up to 25 mm are compensated for
- Protrusions are reduced



Ideal for automated material flows involving cardboard boxes.



Liftholes


The integrated lift holes allow the tray to be picked up by lifting and holding fixtures and support automated handling processes.


- Tray contents can be lifted and picked up precisely
- Suitable for automated lifting and transfer systems
- Support flexible material flow processes
- Highlights Reduced weight compared to the standard version


Ideal for automated warehousing and conveying processes using conveyor technology.

Highlights

Automate non-conveyor-compatible containers







Automation-ready
Suitable for automatic warehousing, shuttle vehicles, and conveying systems

High load capacity
Designed for loads up to 50 kg

Suitable for many applications
For cartons and containers in various logistics processes

WE TAKE THE TIME
TO GIVE ADVICE.

BITO-Lagertechnik
Bittmann AG
Industriestrasse 11
6343 Rotkreuz

Telefon 041 790 20 64
info.ch@bito.com
www.bito.com



Auch online mehr entdecken.

A **BIT OF** YOUR LIFE.

BITO
LAGERTECHNIK